Ø001

RECEIVED CENTRAL FAX CENTER

JUL 1 8 2006



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents United States Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

Fax Cover Sheet

Date: 18 Jul 2006	A gray g
Te: Scott Farmer	From: Richale L. Haney
Application/Control Number: 10/775,589	Art Unit: 3765
Fax No.: 707-252-8935	Phone No.: 571-272-8689
Voice No.: 714891-8116	Return Fax No.: (571) 273-8300
Rec	CC:
Urgent For Review For Comme	nt For Reply Per Your Request
Comments: Scott,	
Per our conversation this afternoon, please review the proclaims will be in condition for allowance and with your peexpedite the prosecution of your application. If you have	roposed amendments to the claims. I believe that the emission will be entered as an examiners amendment to any questions or connocerns please feel free to contact me.
Sincerely, 7/18/01	•
	LIE, is looks great. Thank you! is submit with your suggested amound under Best Repuds. Scot Farmer
\lease	; submit with your suggested amoudu
Number of pages 3 including this page	'Bast 'Rapids. Scat Farmer
his facsimile transmission is an Official U.S. Government door onfidential. It is intended only for use of the recipient named a istribution or copying of this document is strictly prohibited.	cument which may contain information which is privileged and above. If you are not the intended recipient, any dissemination, if this document is received in error, you are requested to one number and return the entire document in an envelope

1. (Currently amended) A glove apparatus comprising: a flexible hand enclosure, the hand enclosure defining a palmer portion and, a back portion, at least one, a wrist portion, and at least one finger portion; wherein the at least one finger portion of the glove apparatus includes a middle finger portion, the middle finger portion providing a first reinforcing layer fixedly attached to the base layer in a position over the middle finger portion and extensive so as to cover at least a medial portion of the middle finger and a portion of a side of the middle finger between an index finger and the middle finger, the palmer portion further comprising having-a base layer positioned for contact with a palm of a human hand; a topper layer of the palmer portion fixedly engaged over the base layer; a single resilient pad engaged between the base layer and the topper layer, the resilient pad outlined by a first stitching creating an elongated oval shape, the topper layer extending past the resilient pad in the direction of the wrist portion and covering a substantial portion of the palm; wherein the topper layer is fixedly secured directly to the base layer of the glove and the resilient pad is bifurcated by an approximately linear stitching extending across the palmer portion in correspondence to the lateral fold distal transverse crease in the palm of the human hand to form two ergonomically convex structures that are substantially similar in size and extend laterally across the metacarpals.

- 2. (Cancelled)
- 3. (Cancelled)
- 4. (Cancelled)

04/8 2/18/0B

PTO GP 3200 RM CP2-9C04

5. (Currently amended) The apparatus of claim 1 further comprising a thumb portion; the thumb portion providing a second reinforcing layer fixedly positioned over at least a palmer side of the thumb portion and extends to a side portion of the thumb finger between the thumb and index finger.

- 6. (Cancelled)
- 7. (Cancelled)
- 8. (Cancelled)
- 9. (Cancelled)
- 10. (Cancelled)
- 11. (Cancelled)
- 12. (Cancelled)
- 13. (Cancelled)
- 14. (Cancelled)

OK/SK 8/18/06